



NIGHT-LITE™

E-SERIES MANUAL WINCH

Built to be easily deployed across special events, the **Night-Lite™ E-Series Manual Winch** is a plug in unit made to withstand 50 mph winds. With multi-directional forklift pockets and Eco-friendly features, such as no gas tank, causing no fumes to release when this unit is running, this light tower is meant to last. The **Night-Lite™ E-Series Manual Winch** offers a 154,000 lumens output to light up your space with 4 LED light fixtures, as well as a automatic on and off functionality with a timer and photocell. The **Night-Lite™ E-Series Manual Winch** is the perfect choice for special events, building construction, and infrastructure construction.



A SUBSIDIARY OF



BRIGGS & STRATTON
CORPORATION

KEY FEATURES

Night-Lite™ E-Series Manual Winch

LED Light Fixtures

SMD Style Lights

**359° Fixture
Rotation**

**50 mph Operating
Wind Speed Rating**

Structure

Five-section tubular
steel design tower

Frame Formed,
welded steel design

**Multi-Directional
Forklift Pockets**


Swivel Caster Wheels

Grease seals in raceway,
poly on aluminum wheel
and a stainless roller bearing



Width

Transport
32 in (813 mm)



Max

Height

22.1 ft (6.7 m)

Height

Transport

88 in
(2,235 mm)

Length

Transport
45 in (1,143 mm)

Guide Pads

Polyethylene
self-lubricating

Winch Type

Manual

Ease of Use

Auto on / off – timer,
photocell or manual

Plug Type 3-Wire


Grounded (NEMA 5-15P)

Stabilizers

Four-point design,
(4) foldable outriggers
at corners of unit

Model	Night-Lite™ E-Series Manual Winch
Power Consumption – Per Fixture (W)	250
Lumens Per Fixture	37,000
Lumens – Total	148,000
Required Current (4 Lamps)	120 VAC
Weight & Shipping	
Weight lbs (kg)	670 (303.9)
Number of Units on 48' Flatbed	36
Number of Units on 53' Flatbed	41

LIGHT COVERAGE



Night-Lite™ E-Series Manual Winch
 4 – 320 W LED Light Output

Area Lit to .5 Foot Candle (ft-c) or Higher: 27,990 ft²



COMPROMISE NOTHING.

At Allmand, our sole focus is providing jobsite support equipment to help your customers get the job done. Whenever they need it. Wherever they are. And whatever it takes. What's more, our genuine commitment to you — the highest standard of service and lowest total cost of ownership — is simply unmatched. Choose the equipment that comes with complete confidence that jobsite productivity won't go dark at 2 a.m.

Allmand. Above All.

www.allmand.com
NLE-0220

Allmand[®]

ALLMAND BROS., INC.
A subsidiary of Briggs & Stratton Corporation
P.O. Box 888, Holdrege, NE 68949
Copyright ©2019. All rights reserved.