



PORT-A-LITE®

PAL SINGLE LED / PAL DUAL LED

Compact and powerful, the **Port-A-Lite®** series provides the portable lighting needed to produce the highest quality work for special events and infrastructure construction. This light not only offers supreme power capabilities, it also helps maintain a clean environment. With no gas tank, this light tower does not give off any harmful fumes and saves on gas consumption. The Dual PAL features a built-in pad for a portable generator so it can be used where utility power is not available.




A SUBSIDIARY OF



BRIGGS & STRATTON CORPORATION


KEY FEATURES

Port-A-Lite® PAL Single LED / PAL Dual LED



Port-A-Lite® Single LED


Port-A-Lite® Dual LED



Model	PAL Single LED	PAL Dual LED
Power Consumption – Per Fixture (W)	320	320
Lumens Per Fixture	38,500	38,500
Lumens – Total	38,500	77,000
Required Current (A)	3.5	7
Operating Voltage (V)	120	120
Frequency (Hz)	60	60
Weights		
Weight – Shipping lbs (kg)	124 (56.2)	245 (111.1)
Weight – Operating lbs (kg)	111 (50.3)	224 (101.5)

LIGHT COVERAGE

Fixtures pointed 20° below horizon, straight out, mast fully extended.



Port-A-Lite® Single LED

1 – 320 W LED Light Output

Area Lit to .5 Foot Candle (ft-c)
or Higher: 6,210 ft²

Port-A-Lite® Dual LED

2 – 320 W LED Light Output

Area Lit to .5 Foot Candle (ft-c)
or Higher: 11,070 ft²



COMPROMISE NOTHING.

At Allmand, our sole focus is providing jobsite support equipment to help your customers get the job done. Whenever they need it. Wherever they are. And whatever it takes. What's more, our genuine commitment to you — the highest standard of service and lowest total cost of ownership — is simply unmatched. Choose the equipment that comes with complete confidence that jobsite productivity won't go dark at 2 a.m.

Allmand. Above All.