



PORT-A-LITE®

PAL SINGLE LED / PAL DUAL LED

Compact and powerful, the **Port-A-Lite®** series provide the portable lighting needed to produce the highest quality work in concrete finishing, paving, masonry, roofing, excavation, mining, refineries, quarries, demolition, training sites, and special events. The Dual PAL features a built-in pad for a portable generator so it can be used where utility power is not available. Units available in 120 V 60 Hz and 220 V 50 Hz models.




A SUBSIDIARY OF




BRIGGS & STRATTON
CORPORATION

KEY FEATURES


Port-A-Lite® PAL Single LED / PAL Dual LED



Port-A-Lite® Single LED




Port-A-Lite® Dual LED



Model	PAL Single LED	PAL Dual LED
Power Consumption - Per Fixture (W)	320	
Lumens Per Fixture	38,500	38,500
Lumens - Total	38,500	77,000
Required Current (A)	3.5	7
Operating Voltage (V)	120	120
Frequency (Hz)	60	60
Weights		
Weight - Shipping lbs (kg)	124 (56.2)	245 (111.1)
Weight - Operating lbs (kg)	111 (50.3)	224 (101.5)

LIGHT COVERAGE



Port-A-Lite® Single LED
with 1 - 320 W Conssin LED Light Output

Area Lit to .5 Foot Candle (ft-c)
or Higher: 6,210 ft²

Port-A-Lite® Dual LED
with 2 - 320 W Conssin LED Light Output

Area Lit to .5 Foot Candle (ft-c)
or Higher: 11,070 ft²



COMPROMISE NOTHING.

At Allmand, our sole focus is providing jobsite support equipment to help your customers get the job done. Whenever they need it. Wherever they are. And whatever it takes. What's more, our genuine commitment to you — the highest standard of service and lowest total cost of ownership — is simply unmatched. Choose the equipment that comes with complete confidence that jobsite productivity won't go dark at 2 a.m. **Allmand. Above All.**

www.allmand.com

PAL-1218

Allmand®

ALLMAND BROS., INC.

A subsidiary of Briggs & Stratton Corporation
P.O. Box 888, Holdrege, NE 68949
Copyright ©2019. All rights reserved.